Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866)

217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: Wed Oct 10 15:59:42 EDT 2007

Reviewer Comments:

<210> 26

<211> 47

<212> RNA

<213> Artificial Sequence

<220>

<223> C10orf3 siRNA having hairpin structure

<220>

<221> misc_structure

<222> (1)...(19)

<223> C10orf3 siRNA oligonucleotide target sequence, [A]

<220>

<221> misc structure

<222> (20)...(28)

<223> preferable loop sequence, [B]

<220>

<221> misc_structure

<222> (29)...(47)

<223> C10orf3 siRNA oligonucleotide target sequence
 complementary sequence, [A']

<400> 26

ggagagactg aaaacagagu ucaagagacu cuguuuucag ucucucc

47

The above <212> response is "RNA." However, a "t" is shown in the above sequence at location 9. No "t's" are allowed in an RNA sequence. For a

combined DNA/RNA sequence, use <212> DNA, and explain in the <220>-<223> section that it is a combined DNA/RNA sequence.

<210> 27

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> poly dT-12-18 primer

<221> modified_base

<222> (13)...(18)

<223> t or absent

<400> 27

ttttttttt tttttt

10

The above cumulative total of "10" is incorrect: 18 nucleotides are shown in this sequence.

Validated By CRFValidator v 1.0.3

Application No: 10589594 Version No: 1.0

Input Set:

Output Set:

Started: 2007-09-20 09:48:00.065 **Finished:** 2007-09-20 09:48:01.654

Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 589 ms

Total Warnings: 25
Total Errors: 2

No. of SeqIDs Defined: 27
Actual SeqID Count: 27

Err	or code	Error Descript	ion								
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(3)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(4)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(5)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(6)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(7)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(8)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(9)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(10)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(11)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(12)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(13)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(14)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(15)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(16)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(17)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(18)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(19)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(20)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(21)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(22)

Input Set:

Output Set:

Started: 2007-09-20 09:48:00.065

Finished: 2007-09-20 09:48:01.654

Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 589 ms

Total Warnings: 25

Total Errors: 2

No. of SeqIDs Defined: 27

Actual SeqID Count: 27

Error code Error Description

This error has occured more than 20 times, will not be displayed

E 256 't' found in RNA; POS (9) SEQID(26)

E 254 The total number of bases conflicts with running total, Input: 10,

Calculated: 18 SEQID(27)

SEQUENCE LISTING

```
<110> Nakamura, Yusuke
     Furukawa, Yoichi
     Oncotherapy Science, Inc.
<120> Method for Diagnosing Colorectal Cancers
<130> 082368-008900US
<140> 10589594
<141> 2007-09-20
<150> WO PCT/JP04/02145
<151> 2004-02-24
<160> 27
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 2624
<212> DNA
<213> Homo sapiens
<220>
<223> C10orf3
<220>
<221> CDS
<222> (294)...(1688)
<223> C10orf3
<400> 1
ggcacgaggg gccgacgcga gcgccgcgct tcgcttcagc tgctagctgg cccaagggag 60
gcgaccgcgg agggtggcga ggggcggcca ggacccgcag ccccggggcc gggccggtcc 120
ggaccgccag ggagggcagg tcagtgggca gatcgcgtcc gcgggattca atctctgccc 180
getetgataa eagteetttt eeetggeget eacttegtge etggeaceeg getgggegee 240
tcaagaccgt tgtctcttcg atcgcttctt tggacttggc gaccatttca gag atg
                                                           Met
                                                            1
tct tcc aga agt acc aaa gat tta att aaa agt aag tgg gga tcg aag
Ser Ser Arg Ser Thr Lys Asp Leu Ile Lys Ser Lys Trp Gly Ser Lys
                                 10
cct agt aac tcc aaa tcc gaa act aca tta gaa aaa tta aag gga gaa
                                                                   392
Pro Ser Asn Ser Lys Ser Glu Thr Thr Leu Glu Lys Leu Lys Gly Glu
        20
att gca cac tta aag aca tca gtg gat gaa atc aca agt ggg aaa gga
                                                                   440
Ile Ala His Leu Lys Thr Ser Val Asp Glu Ile Thr Ser Gly Lys Gly
     35
                         40
aag ctg act gat aaa gag aga cac aga ctt ttg gag aaa att cga gtc
                                                                   488
```

Lys 50	Leu	Thr	Asp	Lys	Glu 55	Arg	His	Arg	Leu	Leu 60	Glu	Lys	Ile	Arg	Val 65	
		_		_	gag Glu	_		-						_	=	536
	-		_	_	ctg Leu	_	-		_	_	-	-		_		584
	-	_		_	cag Gln	_	_			_	_	-		-		632
		_		_	aaa Lys	-			-			-	-	_		680
	_	_		-	gca Ala 135			_		_	_		-	_		728
				-	tta Leu		-			-			-			776
					att Ile		-	_	-		_	_		-	-	824
_				_	cag Gln					-	-	_		-	_	872
	-				tta Leu	-	_				_	_	_		-	920
_		_	-		tca Ser 215			_	_			_		-		968
_					gaa Glu		_	_		_			-		-	1016
_	-	_			gat Asp			-	-	_					_	1064
_	-		-	_	agt Ser	-		-	-			-	-			1112
	-	-			tta Leu		_	_	_				_		_	1160

275 280 285

Asp Val Gln His Leu		aaa aca gag aag ata caa Lys Thr Glu Lys Ile Gln 300 305	1208
33 3 3 3	3 33	gga aaa ctt gaa gaa gag Gly Lys Leu Glu Glu 320	1256
		gtc cag ttt ctt tac aca Val Gln Phe Leu Tyr Thr 335	1304
		agg gta gct ctg ttg gaa Arg Val Ala Leu Leu Glu 350	1352
	-	gaa aat gaa aaa ctc gac Glu Asn Glu Lys Leu Asp 365	1400
Arg Gln His Val Gln		att ctt aag gag ctc cga Ile Leu Lys Glu Leu Arg 380 385	1448
		tcc ttg aaa cag ctt cat Ser Leu Lys Gln Leu His 400	1496
		ttc caa gga gag act gaa Phe Gln Gly Glu Thr Glu 415	1544
		agt ccc act gct gca ctc Ser Pro Thr Ala Ala Leu 430	1592
		aat ata cag tat cca gcc Asn Ile Gln Tyr Pro Ala 445	1640
Thr Glu His Arg Asp			1688
caaaataagt atttgtttt	g atattaaaag attcaa	act gtattttctg ttagcttgtg	1748
3 3	-	actg cctatctacc tttgacactc	
		gtgc atttctcttg gcagtgatac	
		gaat gtggtgagca gcgtctactg	
_	-	gagg aaaagatagc tcaggttatt	
		ittt tatccaagca cttagaaaac	
-		ggtg atagatacta ttttttttt	
		tet tgatetttat tgetgettae	
		tct gcgcacgaaa cagtatctgt	
ttgaggcata atcttaagt	g gccacacaca atgttt	ctc ttatgttatc tggcagtaac	2348

tgtaacttga attacattag cacattctgc ttagctaaaa ttgttaaaat aaactttaat 2408 aaacccatgt agccctctca tttgattgac agtattttag ttatttttgg cattcttaaa 2468 gctgggcaat gtaatgatca gatctttgtt tgtctgaaca ggtattttta tacatgcttt 2528 ttgtaaacca aaaactttta aatttcttca ggttttctaa catgcttacc actgggctac 2588 tgtaaatgag aaaagaataa aattatttaa tgtttt

<210> 2 <211> 464 <212> PRT <213> Homo sapiens <220>

<223> C10orf3 <400> 2 Met Ser Ser Arg Ser Thr Lys Asp Leu Ile Lys Ser Lys Trp Gly Ser 5 1.0 Lys Pro Ser Asn Ser Lys Ser Glu Thr Thr Leu Glu Lys Leu Lys Gly 25 Glu Ile Ala His Leu Lys Thr Ser Val Asp Glu Ile Thr Ser Gly Lys 40 Gly Lys Leu Thr Asp Lys Glu Arg His Arg Leu Leu Glu Lys Ile Arg 55 Val Leu Glu Ala Glu Lys Glu Lys Asn Ala Tyr Gln Leu Thr Glu Lys 70 75 Asp Lys Glu Ile Gln Arg Leu Arg Asp Gln Leu Lys Ala Arg Tyr Ser 85 90 Thr Thr Ala Leu Glu Glu Glu Glu Thr Thr Arg Glu Gly Glu 100 105 110

Arg Arg Glu Gln Val Leu Lys Ala Leu Ser Glu Glu Lys Asp Val Leu 120

Lys Gln Gln Leu Ser Ala Ala Thr Ser Arg Ile Ala Glu Leu Glu Ser 135 140

Lys Thr Asn Thr Leu Arg Leu Ser Gln Thr Val Ala Pro Asn Cys Phe 145 150 155 Asn Ser Ser Ile Asn Asn Ile His Glu Met Glu Ile Gln Leu Lys Asp

165 170

Ala Leu Glu Lys Asn Gln Gln Trp Leu Val Tyr Asp Gln Gln Arg Glu 180 185 190

Val Tyr Val Lys Gly Leu Leu Ala Lys Ile Phe Glu Leu Glu Lys Lys

Thr Glu Thr Ala Ala His Ser Leu Pro Gln Gln Thr Lys Lys Pro Glu 215

Ser Glu Gly Tyr Leu Gln Glu Glu Lys Gln Lys Cys Tyr Asn Asp Leu 235 230

Leu Ala Ser Ala Lys Lys Asp Leu Glu Val Glu Arg Gln Thr Ile Thr 245 250

Gln Leu Ser Phe Glu Leu Ser Glu Phe Arg Arg Lys Tyr Glu Glu Thr 260 265 270

Gln Lys Glu Val His Asn Leu Asn Gln Leu Leu Tyr Ser Gln Arg Arg 280

Ala Asp Val Gln His Leu Glu Asp Asp Arg His Lys Thr Glu Lys Ile 295 300

Gln Lys Leu Arg Glu Glu Asn Asp Ile Ala Arg Gly Lys Leu Glu Glu 310 315

Glu Lys Lys Arg Ser Glu Glu Leu Leu Ser Gln Val Gln Phe Leu Tyr

325 330

Thr	Ser	Leu	Leu 340	Lys	Gln	Gln	Glu	Glu 345	Gln	Thr	Arg	Val	Ala 350	Leu	Leu	
Glu	Gln	Gln		Gln	Ala	Cvs	Thr		Asp	Phe	Glu	Asn		Lvs	T.e11	
Olu	OIII	355	1100	OIII	IIIG	Cyb	360	шец	пър	1110	Olu	365	Olu	шур	LC C	
Asp	Ara		His	Val	Gln	His		Leu	His	Val	Ile		Lvs	Glu	Leu	
-	370					375					380		_			
Arg	Lys	Ala	Arg	Asn	Gln	Ile	Thr	Gln	Leu	Glu	Ser	Leu	Lys	Gln	Leu	
385	_		_		390					395			-		400	
His	Glu	Phe	Ala	Ile	Thr	Glu	Pro	Leu	Val	Thr	Phe	Gln	Gly	Glu	Thr	
				405					410					415		
Glu	Asn	Arg	Glu	Lys	Val	Ala	Ala	Ser	Pro	Lys	Ser	Pro	Thr	Ala	Ala	
			420					425					430			
Leu	Asn	Glu	Ser	Leu	Val	Glu	Cys	Pro	Lys	Cys	Asn	Ile	Gln	Tyr	Pro	
		435					440					445				
Ala	Thr	Glu	His	Arg	Asp	Leu	Leu	Val	His	Val	Glu	Tyr	Cys	Ser	Lys	
	450					455					460					
<210)> 3															
<211	L> 22	2														
<212	2> D1	ΙA														
<213	3> A:	rtifi	icial	l Sec	quen	ce										
<220)>															
<223	3> G#	APDH	RT-I	PCR a	ampl:	Lfica	ation	n fo:	rward	d pr	imer					
< 400)> 3															
acaa	acago	cct o	caaga	atcat	tc aq	3										22
<210																
	L> 20															
	2> D1															
<213	3> A:	rtif:	icial	l Sec	quen	ce										
	ζ.															
<220					,											
<223	3> G <i>I</i>	APDH	RT-I	PCR a	amp1:	LÍIC	ation	n re	verse	e pr	imer					
- 100)															
<400			- 0.2 0.2	- a a t t	- ~											20
ggc	Cacc	Jac I	-gac	acgtt	-9											20
<210	1> 5															
	L> 23	3														
	2> Di															
			iaia.	1 90	quen	7.0										
\21.)/ A.	LLLL	LCIA.	r sec	quem	Je										
<220	1>															
		l0ori	f3 Ri	Γ-PCI	R am≀	olif:	icat:	ion ·	forwa	ard r	orime	er				
										r						
<400)> 5															
		cga a	agaqo	ctctt	ta to	ct										23
		-														
<210)> 6															
<211	L> 21	L														
	2> D1															
			iciai	l Sed	quen	ce										
					-											

<223>	C10orf3	RT-PCR	amplification	reverse	primer	
<400>	6					
gatgct	cagt ggd	ctggatac	: t			21
<210>						
<211>						
<212>						
<213>	Artific	ial Sequ	ience			
<220>						_
<223>	C10orf3	gene-sp	pecific RT-PCR	amplific	cation forward	d primer
. 100	7					
<400>						0.4
cgaaaq	gcttc aga	agatgtct	tcca			24
<01.05	0					
<210>						
<211> <212>						
		:-1 a				
<213>	Artific	ıaı sequ	ience			
<220>						
	C100xf2	aono ar	ogifia DT DCD	amplific	astion roward	nrimor
<2232	CIUOLIS	gene-sp	pecific RT-PCR	ampitit	sacion reverse	brimer
<400>	0					
		- a a a a a a t	attccac			27
aacyge	acce ce	Lyaacage	. accede			27
<210>	9					
<211>						
<212>						
	Artific	ial Segu	ience			
		-				
<220>						
<223>	C10orf3	RT-PCR	product forwa	rd prime:	r for cloning	into
	pET28a v		-	-	_	
<400>	9					
atagaa	attca tgt	cttccaç	g aagtac			26
<210>	10					
<211>	22					
<212>	DNA					
<213>	Artific	ial Sequ	ience			
<220>						
<223>	C10orf3	RT-PCR	product rever	se prime:	r for cloning	into
	pET28a v	vector				
<400>	10					
tatct	cgagc ttt	gaacagt	at			22
<210>						
<211>						
<212>						
<213>	Artific	ıaı Sequ	ience			

<223>	H1RNA gene containing promoter region genomic fragment PCR amplification primer for siRNA plasmid vector	
<400>	11	
tggtaq	gccaa gtgcaggtta ta	22
<210>	12	
<211>	22	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	H1RNA gene containing promoter region genomic fragment PCR amplification primer for siRNA plasmid vector	
<400>	12	
	gggtt tctgcagttt ca	22
<210>	13	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	BamHI and XhoI fragment containing H1RNA PCR	
	amplification primer	
<400>	13	
tgcgga	atcca gagcagattg tactgagagt	30
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
	BamHI and XhoI fragment containing H1RNA PCR	
	amplification primer	
<400>	14	
ctctat	cctcg agtgaggcgg aaagaacca	29
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
	PCR amplification primer for ligated DNA template	
.229/		
<400>	15	
tttaaç	gcttg aagaccattt ttggaaaaaa aaaaaaaaa aaaaaac	47
<210>	16	
<211>	34	
<212>	DNA	
<213>	Artificial Sequence	

<220>		
<223>	PCR amplification primer for ligated DNA template	
<400>		
tttaaq	gettg aagacatggg aaagagtggt etea	34
<210>	17	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	double-stranded oligonucleotide for cloning	
	control plasmid psiH1BX-EGFP	
. 100	4.7	
<400>		E 1
caccga	aagca gcacgacttc ttcttcaaga gagaagaagt cgtgctgctt c	51
<210>	18	
<211>		
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	double-stranded oligonucleotide for cloning	
	control plasmid psiH1BX-EGFP	
. 400	10	
<400>		
22224	nagga ganggagtta ttatatatta naggangangt agtgatgatt a	5.1
aaaaga	aagca gcacgacttc ttctctcttg aagaagaagt cgtgctgctt c	51
<210>		51
	19	51
<210>	19 51	51
<210> <211> <212>	19 51	51
<210> <211> <212>	19 51 DNA	51
<210><211><211><212><213>	19 51 DNA Artificial Sequence	51
<210><211><211><212><213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into	51
<210><211><211><212><213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA	51
<210><211><211><212><213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into	51
<210><211><211><212><213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G)	51
<210> <211> <212> <213> <213> <220> <223>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G)	51
<210> <211> <212> <213> <213> <220> <223>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G)	
<210> <211> <212> <213> <213> <220> <223>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c	
<210> <211> <212> <213> <223> <400> tcccgc	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c	
<210> <211> <212> <213> <220> <223> <400> tcccgc	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51	
<210> <211> <212> <213> <223> <400> tcccgg <211> <211>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51	
<210> <211> <212> <213> <220> <223> <400> tcccgc <211> <212> <213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51 DNA	
<210> <211> <212> <213> <220> <223> <400> tcccgc <211> <212> <213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51 DNA Artificial Sequence	
<210> <211> <212> <213> <220> <223> <400> tcccgc <211> <212> <213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into	
<210> <211> <212> <213> <220> <223> <400> tcccgc <211> <212> <213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA	
<210> <211> <212> <213> <220> <223> <400> tcccgc <211> <212> <213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into	
<210> <211> <212> <213> <220> <223> <400> tcccgc <211> <212> <213>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G)	
<210> <211> <212> <213> <220> <223> <400> tcccgc <211> <212> <213> <400> <240> <210> <210> <211> <212> <213> <400>	19 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G) 19 gagag actgaaaaca gagttcaaga gactctgttt tcagtctctc c 20 51 DNA Artificial Sequence double-stranded oligonucleotide for cloning into psiH1BX3.0 vector plasmid expressing C10orf3-siRNA (psiH1BX-C10orf3-G)	

```
<210> 21
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> C10orf3 siRNA oligonucleotide target sequence
<400> 21
ggagagactg aaaacagag
                                                                   19
<210> 22
<211> 47
<212> DNA
<213> Artificial Sequence
<220>
<223> C10orf3 siRNA oligonucleotide hairpin loop structure
<400> 22
ggagagactg aaaacagagt tcaagagact ctgttttcag tctctcc
                                                                   47
<210> 23
<211> 488
<212> DNA
<213> Artificial
<220>
<223> psiH1 BX3.0 vector plasmid sequence upstream of siRNA
     DNA fragment insertion site
<400> 23
gacggatcgg gagatctccc gatcccctat ggtgcactct cagtacaatc tgctctggat 60
ccactagtaa cggccgccag tgtgctggaa ttcggcttgg tagccaagtg caggttatag 120
ggagctgaag ggaagggggt cacagtaggt ggcatcgttc ctttctgact gcccgccccc 180
cgcatgccgt cccgcgatat tgagctccga acctctcgcc ctgccgccgc cggtgctccg 240
tegeegeege geegeeatgg aattegaaeg etgaegteat caaceegete caaggaateg 300
egggeecagt gteactagge gggaacaece agegegegtg egeectggea ggaagatgge 360
tgtgagggac aggggagtgg cgccctgcaa tatttgcatg tcgctatgtg ttctgggaaa 420
tcaccataaa cgtgaaatgt ctttggattt gggaatctta taagttctgt atgagaccac 480
                                                                   488
tctttccc
<210> 24
<211> 4597
<212> DNA
<213> Artificial
<220>
<223> psiH1 BX3.0 vector plasmid sequence downstream of siRNA
     DNA fragment insertion site
<400> 24
tttttgggaa aaaaaaaaa aaaaaaaaa cgaaaccggg ccgggcgcgg tggttcacgc 60
ctataatccc agcactttgg gaggccgagg cgggcggatc acaaggtcag gaggtcgaga 120
ccatccaggc taacacggtg aaaccccccc ccatctctac taaaaaaaaa aaatacaaaa 180
aattagecat tageegggeg tggtggeggg egeetataat eeeagetaet tgggaggetg 240
```

aagcagaatg gcgtgaaccc gggaggcgga cgttgcagtg agccgagatc gcgccgactg 300